

Please read and understand the complete instructions prior to assembly and use of your gazebo. Customer agrees to hold Dundalk LeisureCraft Inc. and any of its authorized dealers free of liability for improper installation, maintenance and repair of this product.



#### Requirements:

\* 2 People (recommended)

\*6' Step Ladder

\*Cordless Drill

\* Tape Measure Socket Wrench

View the assembly process on



www.dundalkleisurecraft.com



- 1. Organize your gazebo pieces.
- 2. Place the bottom railing behind your hot tub.



- 3. Line up one of the corner posts against the bottom railing and using pre drilled holes and screws provided, screw into place.
- 4.Repeat same process on other end of bottom railing.



- 5. Place the solid bottom wall flush with corner post.
- 6. Secure to corner post using provided screws.



7. Secure lower side railing flush with opposite corner post using provided screws into pre drilled holes.





8. Pre-place provided screws into pre drilled holes on the top railing for easier installation.



9.Starting between the two back posts, Line up top railing flush to top of posts and secure using provided screws.

10. Repeat Process on 1 side of gazebo.



11.Line up shutter wall flush to post and sitting on top of solid bottom wall. Secure with provided screws.



12. Using provided screws, secure top front railing to inside of two front posts ensuring top of railing is flush to top of post.





13.Lay out roof panels.(Top side down)14. Secure beams to bottom of each roof panel exactly like in picture.



15. The beam will sit on an angle which should leave a gap underneath like in picture. Be sure to secure provided screws closer to where beam and roof panel meet.

Repeat Process for all roof panels.



16. Take 2 roof panels at a time and line them up as shown. Make sure the numbers match where the roof panels connect.



17. Secure 2 roof panels together using the supplied bolts, washers and nuts.
Repeat for all roof panels.
Do not tighten bolts at this time, this will be required in a future step.





18. Place each section atop the corners of the gazebo. (If panels are placed correctly, all numbers should line up with each other.)



19. With bolts and nuts provided, secure roof panels together through pre drilled holes.
Again do not tighten bolts at this time.



20. Carefully slide dome into hole from top of roof.



21. Once dome is in properly, it is time to go back and tighten all bolts.

Be sure to tighten them but not overdo it.





22. Keeping provided screws in line with joists of roof panel, secure dome to to the roof panels.



23. Secure top railings and walls to roof panels. Be sure to line up the screws so thay are fastening through to the roof joists.

There should be 7 screws on each side.



24. Pre place screws using the holes provided in the ridge cap and trim pieces for easier installation.



25. Place ridge caps on corners of gazebo and secure with screws. Place the roof trim in the middle of each side and secure with screws.





- 26. Place the bar top snugly between the corner posts.
- 27. Secure bar top to lower railing from underneath using screws provided.



- 28. Pre-place screws into the bar top counter braces.
- 29. Place braces flush with the corners and secure with screws.



- 30. Place bar stools at desired spot at bar.
- 31. Place cedar steps in front of your spa or hottub.



Congratulations!
You have assembled your Dundalk Leisurecraft Echoe Gazebo!

